

INSTALLATION / LAUNCHING

We have prepared software generator for simple creating of System Exclusive Messages for programming of VS-MIDI interface. Any programming message can be created with help of this generator without difficult calculating with hexadecimal numbers. Generator is based on Java scripts so it is possible to use it with any operational system of PC, but any of browsers (MS-Explorer, Netscape, Fire Fox etc.) must be installed in the computer.

Program can be launched either directly from supplemental CD-ROM or from hard disk of PC. If you choose to launch the program from hard-disc, it is necessary to copy "VS-MIDI.html", "VS-MIDI_help.html" files and subfolder "media" from "support\sysxgen" folder of CD-ROM to selected folder on your computer's hard disk.

Users of MS-Windows operating system can use self-extracting archive "VS-MIDI_sysxgen.exe". In this case, it is necessary to insert path to target folder of hard disk (by direct writing of text or by selection after "... button pressing) and then to press "OK" button. All needed files are then copied automatically.

Launching of SysEx Messages generator then can be simply done by opening "VS-MIDI.html" file in a browser.



SETTING AND PROGRAMMING OF INTERFACE PARAMETRS

Window of generator opens after "VS-MIDI.html" file opening. The window has four parts:

a) Global system parameters

SysEx Msg for changes of all system parameters values stored in system memory bank can be generated here. Names of parameters are displayed in left column of generator table. Values of parameters can be set by select-boxes in middle column. SysEx message is created by clicking on "Generate" button in right column of the table.

b) Preset parameters

SysEx Msg for changes of all preset parameters values stored in any preset memory bank can be generated here. Names of parameters are displayed in left column of generator table. Values of parameters can be set by select-boxes in middle column. SysEx message is created by clicking on "Generate" button in right column of the table.

c) System functions

SysEx Msg for special system functions and for functions working with memory banks can be generated here. Names of functions are displayed in left column of generator table. Parameters of the functions can be set by select-boxes in middle column. Necessary SysEx message is created by clicking on a "Generate" button in right column of the table.

d) Výstupní System Exclusive Message

MIDI System Exclusive Messages are generated in hexadecimal form as a text. Text form of hexadecimal numbers can be chosen by "Hex Byte Form" combo-box, delimiter between bytes can be chosen by "Delimiter" combo-box. Then it is necessary to transfer the message from text field of the generator to SysEx Msg editor of any musical software (Cubase™, Cakewalk™, Sonar™, Midi OX etc.) and then to transmit it to the interface. Text of generated message can be transferred for example by clipboard: Select the text by mouse (cursor), copy it to clipboard by pressing Ctrl+C keys and paste it into editor of musical software by pressing Ctrl+V keys.

"Reset" button under text field clears the text field and sets all select-boxes to their default values.


"Help" button in lower left corner of the table opens new window with brief help.

Vermona Synthesizer MIDI Interface (Model B-434, v. 1.0)		
Global System Parameters :	Select Values :	Message :
MIDI Channel	1	
VCF Controller Nr.	29	
VCA Controller Nr.	30	
Gate Break Duration	6	
VCO Calibration	0	
Generate		
Preset Parameters :	Select Values :	Message :
Preset Number	1	
VCO Key Shift	53	
VCO Pitch Bend Range	12	
VCF Mode	Internal EG	
VCF Key Follow	0	
VCF Velocity Amount	64	
VCF Chnl Aftertouch Amount	64	
VCA Mode	Internal EG	
VCA Key Follow	0	
VCA Velocity Amount	64	
VCA Chnl Aftertouch Amount	64	
EG Retrigger Mode	Off	
EG Retrigger Rate	100	
LED Indicator Mode	Off	
Generate		
System Functions :	Select Values :	Message :
Change Preset	Request	Generate
Store Preset	1	Generate
Reset	HW	Generate
SW Version Request		Generate
Generate		
SysEx Msg :		
Hex Byte Form:	FF	
Delimiter:	space	
F0 00 20 21 7F 58 30 00 20 58 F7		
Reset		
<p>Remarks: Message for system parameters change or message for selected preset parameters change or message for system function will be generated if a "Generate" button is pressed.</p> <p>Click "Help" or see manual for more information.</p>		
Help		Copyright © 2009 CHD Elektroservis


EXAMPLE OF USING WITH “MIDI-OX” SOFTWARE

If you haven't installed a software sequencer in your PC, MIDI-OX program is useful tool for transfer of generated System Exclusive Messages to VS-MIDI Interface. You can download MIDI-OX freeware from <http://www.midiox.com/>

- 1) Interconnect MIDI output of PC with MIDI input of VS-MIDI interface and switch Vermona instrument on.
- 2) Open SysEx window in MIDI OX (choose “SysEx...“ in “View“ menu):




Show the System Exclusive Window.



- 3) Generate required SysEx Msg and copy it into clipboard as described above.
- 4) Click on text field “Command Window“ in “SysEx View and Scratchpad“ window and insert generated SysEx Msg into the field by Ctrl+V keys pressing.




- 5) Transmit the message into VS-MIDI by clicking on "Send Sysex" command in "Command Window" menu.



If MIDI-OX is used first time, it is necessary to activate MIDI port to which VS-MIDI interface is connected. It must be done for proper data transfer from PC to the interface.

- 1) Open window for port selection in MIDI OX - select "MIDI Devices" in "Options" menu:



- 2) For MIDI port activation, click on name of the port in "MIDI Outputs" list.

